




## Modello con uscita d' aria superiore VS

Codice	Modello	Portata	Pressione	Spessore	Efficacia pannello	Potenza ventilatore	Potenza pompa	Tensione ventilatore
		aria		pannello				pompa
		m <sup>3</sup> /h	pa	mm	%	kW	W	
<b>Standard</b>								
150103031	AD-30-VS	28.000	78	50	68	3,00	380	B/a
150103531	AD-35-VS	32.000	39	75	81	4,00	380	B/a
150104031	AD-40-VS	38.000	38	100	87	7,50	380	B/a
150105533	AD-55-VS	54.000	118	75	80	9,20	380	B/a
150107032H	AD-70-VS	63.000	157	100	73	18,00	380	B/a
<b>Inox</b>								
150103031I	AD-30-VS Inox	28.000	78	50	68	3,00	380	B/a
150103531I	AD-35-VS Inox	32.000	39	75	81	4,00	380	B/a
150104031I	AD-40-VS Inox	38.000	38	100	87	7,50	380	B/a
150105533I	AD-55-VS Inox	54.000	118	75	80	9,20	380	B/a
150107032HI	AD-70-VS Inox	63.000	157	100	73	18,00	380	B/a

## Dimensione




Modello	a	B	C	D	E	f	g	H	i	J	Peso a vuoto	Peso a pieno
aD-30-vS	1500	1500	1910	1775	136	770	795	365	505	200	370	453
aD-35-vS	1500	1500	1910	1775	136	770	795	365	505	200	375	458
aD-40-vS	1500	1500	1910	1775	136	770	795	365	505	200	415	498
aD-55-vS	2185	2185	2150	1790	360	890	935	647	830	420	525	720
aD-70-vS	2185	2185	2430	2070	360	890	935	647	830	420	680	875

## Modello con uscita d'aria laterale H



codice	modello	Portata d'aria m <sup>3</sup> /h	pressione pa	Spessore pannello mm	efficacia %	Potenza ventilatore kW	Potenza pompa w	Tensione ventilatore /pompa
<b>Standard</b>								
150103011	AD-30-H	28.000	78	50	65	3,00	250	B/a
150103511	AD-35-H	32.000	39	75	78	4,00	250	B/a
150104011	AD-40-H	38.000	38	100	85	7,50	250	B/a
150105513	AD-55-H	54.000	118	75	77	9,20	380	B/a
150107012H	AD-70-H	63.000	157	100	71	18,00	380	B/a
<b>Inox</b>								
150103011I	AD-30-H inox	28.000	78	50	65	3,00	250	B/a
150103511I	AD-35-H inox	32.000	39	75	78	4,00	250	B/a
150104011I	AD-40-H inox	38.000	38	100	85	7,50	250	B/a
150105513I	AD-55-H inox	54.000	118	75	77	9,20	380	B/a
150107012HI	AD-70-H inox	63.000	157	100	71	18,00	380	B/a

## Dimensione




Modello	A	B	C	D	E	F	G	H	I	J	Peso a vuoto	Peso a pieno
AD-30-H	1500	1545	1860	1724	136	770	795	365	630	435	355	436
AD-35-H	1500	1545	1860	1724	136	770	795	365	630	435	360	443
AD-40-H	1500	1545	1860	1724	136	770	795	365	630	435	400	483
AD-55-H	2185	2230	2340	1724	360	890	935	647	945	204	515	710
AD-70-H	2185	2230	2340	2000	360	890	935	647	945	480	655	850

## Modello con uscita d'aria inferiore V



Codice	Modello	Portata d'aria m <sup>3</sup> /h	Pressione pa	Spessore pannello mm	Efficacia pannello %	Potenza ventilatore kW	Potenza pompa W	Tensione ventilatore /pompa
<b>Standard</b>								
150103021	aD-30-v	28000	78	50	68	3	250	B/a
150103521	aD-35-v	32000	39	75	81	4	250	B/a
150104021	aD-40-v	38000	38	100	87	7,5	250	B/a
150105523	aD-55-v	54000	118	75	80	9,2	380	B/a
150107022H	aD-70-v	63000	157	100	73	18	380	B/a
<b>Inox</b>								
150103021i	aD-30-v inox	28.000	78	50	68	3,00	250	B/a
150103521i	aD-35-v inox	32.000	39	75	81	4,00	250	B/a
150104021i	aD-40-v inox	38.000	38	100	85	7,50	250	B/a
150105523i	aD-55-v inox	54.000	118	75	80	9,20	380	B/a
150107022Hi	aD-70-v inox	63.000	157	100	73	18,00	380	B/a

## Dimensione



MODELO	a	B	C	D	E	f	g	H	i	J	Peso a vuoto	Peso con acqua
aD-30-v	1500	1500	1860	1724	136	770	795	365	505	200	355	438
aD-35-v	1500	1500	1860	1724	136	770	795	365	505	200	360	443
aD-40-v	1500	1500	1860	1724	136	770	795	365	505	200	400	483
aD-55-v	2185	2185	2084	1724	360	890	935	647	830	420	515	710
aD-70-v	2185	2185	2360	2000	360	890	935	647	830	420	655	850